



China Deyuan Marine Fitting Co.,Ltd

Add:Room1401,Unit 1,No.2 Building,Maofeng Road,Nanping,Zhuhai

Web: <http://www.deyuanmarine.com>

Attn:Miss. Michelle

Email:sales1@deyuanmarine.com

Tel:86-756-8301004

Marine deck equipment


Item 1

Item	SPEC	PICTURE
Bar type marine chain stopper	1.Material: Cast Steel, Cast Iron. 2.Finish: Epoxy Coating. 3.GL,ABS,KR,RINA,BV, GL, CCS Cert.	

Main parameters

Chain Dia.(mm)	Dimensions(mm)						
	B	H	H2	L	H	B2	Weight(KG)
38-40	336	378	130	540	68	65	110
42-44	336	412	142	590	75	72	138
46-48	397	450	155	640	82	78	177
50-52	428	491	170	695	88	85	214
54-56	457	528	182	745	95	92	261
58-60	488	465	195	795	102	98	319
62-64	517	600	208	850	109	104	396
66-68	547	635	220	900	116	110	428
70-73	582	675	233	960	125	117	609
76-78	617	715	245	1020	133	123	74
Remark	Size 62mm to 78mm counter-weight shall be equipped. The bar can be opened in right or left hand side						


Item 2

Item	SPEC	PICTURE
J Chain Chaser	It will handle anchors to 30 tones in weight and stud link chain up to 4-1/2 inches diameter.	

Main parameters

J type chain chaser							
Pull load(ton)	SWL(ton)	Dimensions in mm					
		A	B	C	D	E	F
200	110	2459	1830	715	332	128	100
400	250	2565	1923	699	457	191	165


Item 3

Item	SPEC	PICTURE
small size cast steel bar type anchor chain stopper	<p>1.Material: Cast Steel, Cast Iron.</p> <p>2.Finish: Epoxy Coating.</p> <p>3.BV, GL, CCS,RINA,ABS,KR,LR Cert</p>	

Main parameters

Nominal No.	Dia.	Size (mm)				Weight
		A	B	C	D	
19	17-19	190	270	20	134	17
22	20-22	216	310	226	153	24
25	23-25	241	345	256	175	33
28	26-28	270	385	280	193	44
32	29-32	305	435	320	220	68
36	34-36	342	490	154	246	92

Item 4

Item		SPEC	PICTURE
Marine type stopper	rolled chain	<p>1.Type:Roller Type</p> <p>2.Material: Q235,ZG230-450</p> <p>3.Suitable chain cable Dia.: from 17mm---132mm</p> <p>4.Certificate:BV,LR,SGS</p> <p>5.Paint: Grey Epoxy Primer, for the middle paint and surface according to your requirement.</p>	

Main parameters

Dia.of chain (mm)	Size(mm)			Weight(KG)
	H	L	L1	
12.5-14	112	176	102	8.6
16-17.5	138	214	130	18
19-20.5	154	234	146	26.7
22-24	176	254	168	39.4
26-28	198	286	192	58
30-32	226	320	214	85
34-36	248	350	240	113.5
38-40	274	388	266	157.6
42-44	296	424	294	204
46-48	324	454	316	257.7
50-52	346	480	338	310
54-56	372	514	362	393
58-60	392	542	378	547.9
62-64	422	574	402	572.6
66-68	444	604	424	663.7

Item 5

Item	SPEC	PICTURE
permanent chain chaser	<p>1.Excellent quality and competitive price .</p> <p>2.Durable, long lifetime.</p> <p>3.Standard or customized. certificate CCS BV ABS</p>	

Main parameters

Pull load(ton)	SW L(ton)	Dimension(mm)							
		A	B	C	D	E	F	G	H
250	130	1867	1244	838	1130	330	203	130	100
400	250	2040	1360	838	1130	406	300	191	165

Item 6

Item	SPEC	PICTURE
Marine simple cable releaser	<p>1. function: release the end fixing devices of ships.</p> <p>2. material: steel.</p> <p>3. operating time:5-8 years.</p>	

Main parameters

Diameter of anchor chain	L	B	B3	H1	H2	H3	H4	R	T2	Weight (kg)
17~19	150	238	140	90	100	100	118	100	4	8.93
22~25	196	270	170	110	130	110	145	125	4	9.36
28~31	256	305	200	130	160	120	180	150	5	25.41
34~37	324	360	230	150	190	130	215	175	6	36.86
Remark	Example of designation: simple cable releaser for anchor chains in diameter of 34-37mm,cable Releaser 34-34 CB531-1966									